



www.myfui.com

Standard Parts Listist

CORPORATE SALES

DALLAS, TX
3000 AVENUE F
ARLINGTON, TX 76011

(800) 348-8467 (281) 500-9570 FAX

CLEVELAND, OH
(800) 348-8467 (817) 860-8517 FAX

HOUSTON, TX
(800) 633-5340 (281) 500-9570 FAX

SALT LAKE CITY, UT
(800) 348-8467 (817) 860-8517 FAX

CANADA -AURORA, ONTARIO
(877) 644-4403 (905) 713-3927 FAX

ATLANTA, GA
(800) 348-8467 (817) 860-8517 FAX

The text 'Quick Connect Couplers' is written in a large, black, script font and is enclosed within a thin black oval border.

*Quick Connect
Couplers*

TABLE OF CONTENTS

PNEUMATIC QUICK COUPLERS

QC-1000	Industrial Interchange MIL-C4109 SPECS	1-14
QC-1300	ARO Interchange	15-16
QC-1400	Automotive Interchange TRU-FLATE	17-20
QC-1450	Full Flow, Interchangeable BOWES MIL-C3486	21-24
QC-1460	Full Flow, Interchangeable THOR	25-26
QC-1470	Single Shut-off Specialty	27-30
QC-1630	Universal Interchange	31

FLUID TRANSFER QUICK COUPLERS

QC-1500	High Pressure - Screw Together 10,000 PSI	32-33
QC-1600	Industrial Full Flow Interchange	34-37
QC-1690	Mobile / Industrial Garden Hose Interchange	38
QC-1700	Double Shut-off ISO-B Industrial Interchange	39-44
QC-1800	ISO-B Interchange for Steam	45
QC-1900	Double Shut-off Valved and Non Valved High Flow	46-59
QC-2000	ISO-A Double Shut-off Industrial Interchange	60-61
QC-2300, 2700	Agriculture Interchange	62-65
QC-2500	Mobile, Wing Nut Interchange	66-67
QC-ST23, ST71	Snap-Tite Series	68-70
QC-2600	Double Shut-off Interchangeable Flush Face - No Spill	71-73
QC-3000	Diagnostic Quick Connects	74
QC-3400	Refrigerant and Fluid Transfer Connectors	75
QC-3600, 3700	Double Shut-off Screw Together	76
QC-7000	Industrial, Mold Interchange	77-80
QC-CAPS & PLUGS	Brass, Steel and Rubber Caps and Plugs	81-91


Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS


AQ	FD40
PH	B60
TOMCO	180



B-QC-1000

- (1) Push Socket
- (2) Male Pipe


B-QC-1000-04-02
B-QC-1000-04-04
B-QC-1000-04-06
B-QC-1000-06-04
B-QC-1000-06-06
B-QC-1000-06-08
B-QC-1000-08-06
B-QC-1000-08-08
B-QC-1000-08-12
B-QC-1000-12-08
B-QC-1000-12-12
B-QC-1000-12-16



B-QC-1002

- (1) Push Socket
- (2) Hose Barb


B-QC-1002-04-04
B-QC-1002-04-05
B-QC-1002-04-06
B-QC-1002-06-04
B-QC-1002-06-06
B-QC-1002-06-08
B-QC-1002-08-06
B-QC-1002-08-08
B-QC-1002-08-12
B-QC-1002-12-08
B-QC-1002-12-12
B-QC-1002-12-16



B-QC-1001

- (1) Push Socket
- (2) Female Pipe

B-QC-1001-04-02
B-QC-1001-04-04
B-QC-1001-04-06
B-QC-1001-06-04
B-QC-1001-06-06
B-QC-1001-06-08
B-QC-1001-08-06
B-QC-1001-08-08
B-QC-1001-08-12
B-QC-1001-12-08
B-QC-1001-12-12
B-QC-1001-12-16



B-QC-1003

- (1) Push Socket
- (2) Push On Barb


B-QC-1003-04-04
B-QC-1003-04-06
B-QC-1003-06-06
B-QC-1003-06-08
B-QC-1003-08-06
B-QC-1003-08-08

Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS



B-QC-1004

(1) Push Socket

(2) Reusable Hose Connection

B-QC-1004-04-04x1/2

B-QC-1004-04-04x11/16

B-QC-1004-04-04x3/4

B-QC-1004-04-04x5/8

B-QC-1004-04-04x9/16

B-QC-1004-04-05x11/16

B-QC-1004-04-05x5/8

B-QC-1004-04-05x9/16

B-QC-1004-04-06x11/16

B-QC-1004-04-06x3/4

B-QC-1004-04-06x9/16

B-QC-1004-06-05x11/16

B-QC-1004-06-05x5/8

B-QC-1004-06-05x9/16

B-QC-1004-06-06x9/16


Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL


AQ	FD40
TOMCO	T4000



S-QC-1000

- (1) Push Socket
- (2) Male Pipe


S-QC-1000-04-02
S-QC-1000-04-04
S-QC-1000-04-06
S-QC-1000-06-04
S-QC-1000-06-06
S-QC-1000-06-08
S-QC-1000-08-06
S-QC-1000-08-08
S-QC-1000-08-12



S-QC-1002

- (1) Push Socket
- (2) Hose Barb


S-QC-1002-04-04
S-QC-1002-04-06
S-QC-1002-06-04
S-QC-1002-06-06
S-QC-1002-06-08
S-QC-1002-08-06
S-QC-1002-08-08
S-QC-1002-08-12



S-QC-1001

- (1) Push Socket
- (2) Female Pipe

S-QC-1001-04-02
S-QC-1001-04-04
S-QC-1001-04-06
S-QC-1001-06-04
S-QC-1001-06-06
S-QC-1001-06-08
S-QC-1001-08-06
S-QC-1001-08-08
S-QC-1001-08-12



S-QC-1003

- (1) Push Socket
- (2) Push On Barb

S-QC-1003-06-06


Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STAINLESS STEEL


AQ	FD40
TOMCO	T4000



SS-QC-1000-303

- (1) Push Socket
- (2) Male Pipe


SS-QC-1000-04-04-303
SS-QC-1000-06-06-303
SS-QC-1000-08-08-303



SS-QC-1002-303

- (1) Push Socket
- (2) Hose Barb

SS-QC-1002-04-04-303
SS-QC-1002-06-06-303
SS-QC-1002-08-08-303



SS-QC-1001-303

- (1) Push Socket
- (2) Female Pipe

SS-QC-1001-04-04-303
SS-QC-1001-06-06-303
SS-QC-1001-08-08-303


Styles may vary from picture

INDUSTRIAL INTERCHANGE AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL

AQ	FD40
TOMCO	T4000



S-QC-1004

- (1) Push Socket
- (2) Reusable Hose Connection

S-QC-1004-04-06x11/16
S-QC-1004-04-06x13/16
S-QC-1004-04-06x3/4
S-QC-1004-04-06x5/8
S-QC-1004-04-06x7/8
S-QC-1004-06-06x11/16
S-QC-1004-06-06x13/16
S-QC-1004-06-06x3/4
S-QC-1004-06-06x5/8
S-QC-1004-06-06x7/8
S-QC-1004-08-06x11/16
S-QC-1004-08-06x13/16
S-QC-1004-08-06x3/4
S-QC-1004-08-06x5/8
S-QC-1004-08-06x7/8
S-QC-1004-08-08x1
S-QC-1004-08-08x15/16
S-QC-1004-08-08x7/8


Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS


AQ	FD43
TOMCO	180



B-QC-1100

- (1) Sleeve Socket
- (2) Male Pipe


B-QC-1100-04-02
B-QC-1100-04-04
B-QC-1100-04-06
B-QC-1100-06-06
B-QC-1100-06-08
B-QC-1100-08-06
B-QC-1100-08-08
B-QC-1100-08-12



B-QC-1102

- (1) Sleeve Socket
- (2) Hose Barb


B-QC-1102-04-04
B-QC-1102-04-05
B-QC-1102-04-06
B-QC-1102-06-04
B-QC-1102-06-06
B-QC-1102-08-08



B-QC-1101

- (1) Sleeve Socket
- (2) Female Pipe

B-QC-1101-04-02
B-QC-1101-04-04
B-QC-1101-04-06
B-QC-1101-06-04
B-QC-1101-06-06
B-QC-1101-06-08
B-QC-1101-08-06
B-QC-1101-08-08
B-QC-1101-08-12



B-QC-1103

- (1) Sleeve Socket
- (2) Push On Barb

B-QC-1103-04-04
B-QC-1103-04-06
B-QC-1103-06-06
B-QC-1103-08-08


Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

BRASS

AQ	FD43
TOMCO	180



B-QC-1104

- (1) Sleeve Socket
- (2) Reusable Hose Connection

B-QC-1104-04-04x1/2
B-QC-1104-04-04x11/16
B-QC-1104-04-04x3/4
B-QC-1104-04-04x5/8
B-QC-1104-04-04x9/16
B-QC-1104-04-05x11/16
B-QC-1104-04-05x5/8
B-QC-1104-04-05x9/16
B-QC-1104-04-06x11/16
B-QC-1104-04-06x3/4


Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL


AQ	FD43
TOMCO	T400
TOMCO	T500



S-QC-1100

- (1) Sleeve Socket
- (2) Male Pipe


S-QC-1100-04-02
S-QC-1100-04-04
S-QC-1100-04-06
S-QC-1100-06-04
S-QC-1100-06-06
S-QC-1100-06-08
S-QC-1100-08-06
S-QC-1100-08-08
S-QC-1100-08-12



S-QC-1102

- (1) Sleeve Socket
- (2) Hose Barb


S-QC-1102-06-04
S-QC-1102-06-06
S-QC-1102-06-08
S-QC-1102-08-06
S-QC-1102-08-08
S-QC-1102-08-12



S-QC-1101

- (1) Sleeve Socket
- (2) Female Pipe

S-QC-1101-04-02
S-QC-1101-04-04
S-QC-1101-04-06
S-QC-1101-06-04
S-QC-1101-06-06
S-QC-1101-06-08
S-QC-1101-08-06
S-QC-1101-08-08
S-QC-1101-08-12



S-QC-1103

- (1) Sleeve Socket
- (2) Push On Barb


S-QC-1103-04-04
S-QC-1103-04-06
S-QC-1103-06-06

Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STEEL



S-QC-1104

(1) Sleeve Socket

(2) Reusable Hose Connection

S-QC-1104-04-04x1/2
S-QC-1104-04-04x5/8
S-QC-1104-04-04x9/16
S-QC-1104-06-05x11/16
S-QC-1104-06-05x5/8
S-QC-1104-06-05x9/16
S-QC-1104-06-06x11/16
S-QC-1104-06-06x13/16
S-QC-1104-06-06x3/4
S-QC-1104-06-06x5/8
S-QC-1104-06-06x7/8
S-QC-1104-06-06x9/16
S-QC-1104-06-08x1
S-QC-1104-06-08x15/16
S-QC-1104-06-08x7/8
S-QC-1104-08-06x11/16
S-QC-1104-08-06x13/16
S-QC-1104-08-06x3/4
S-QC-1104-08-06x5/8
S-QC-1104-08-06x7/8
S-QC-1104-08-08x1
S-QC-1104-08-08x15/16
S-QC-1104-08-08x7/8


Styles may vary from picture

INDUSTRIAL INTERCHANGE SEMI-AUTOMATIC, SINGLE SHUT-OFF

Conforms to MIL-C4109 Specs

STAINLESS STEEL


AQ	FD43
TOMCO	T400
TOMCO	T500



SS-QC-1100-303

- (1) Sleeve Socket
- (2) Male Pipe


SS-QC-1100-04-02-303
SS-QC-1100-04-04-303
SS-QC-1100-06-06-303
SS-QC-1100-08-08-303



SS-QC-1102-303

- (1) Sleeve Socket
- (2) Hose Barb

SS-QC-1102-04-04-303
SS-QC-1102-06-06-303
SS-QC-1102-08-08-303



SS-QC-1101-303

- (1) Sleeve Socket
- (2) Female Pipe

SS-QC-1101-04-04-303
SS-QC-1101-06-06-303
SS-QC-1101-08-08-303


Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs

BRASS


AQ	FD40
TOMCO	1800



B-QC-1200

- (1) Plug
- (2) Male Pipe


B-QC-1200-04-02
B-QC-1200-04-04
B-QC-1200-04-06
B-QC-1200-06-04
B-QC-1200-06-06
B-QC-1200-08-06
B-QC-1200-08-08
B-QC-1200-08-12
B-QC-1200-12-12



B-QC-1202

- (1) Plug
- (2) Hose Barb


B-QC-1202-04-04
B-QC-1202-04-06
B-QC-1202-06-06
B-QC-1202-08-06
B-QC-1202-08-08
B-QC-1202-08-12
B-QC-1202-12-12



B-QC-1201

- (1) Plug
- (2) Female Pipe

B-QC-1201-04-02
B-QC-1201-04-04
B-QC-1201-04-06
B-QC-1201-06-06
B-QC-1201-08-06
B-QC-1201-08-08



B-QC-1203

- (1) Plug
- (2) Push On Barb

B-QC-1203-04-04


Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs

STEEL


AQ FD40
TOMCO 1800



S-QC-1200

- (1) Plug
- (2) Male Pipe


S-QC-1200-04-02
S-QC-1200-04-04
S-QC-1200-04-06
S-QC-1200-06-02
S-QC-1200-06-04
S-QC-1200-06-06
S-QC-1200-06-08
S-QC-1200-08-04
S-QC-1200-08-06
S-QC-1200-08-08
S-QC-1200-08-12
S-QC-1200-12-08
S-QC-1200-12-12
S-QC-1200-12-16



S-QC-1201

- (1) Plug
- (2) Female Pipe

S-QC-1201-04-02
S-QC-1201-04-04
S-QC-1201-04-06
S-QC-1201-06-04
S-QC-1201-06-06
S-QC-1201-06-08
S-QC-1201-08-06
S-QC-1201-08-08
S-QC-1201-08-12
S-QC-1201-12-08
S-QC-1201-12-12
S-QC-1201-12-16



S-QC-1202

- (1) Plug
- (2) Hose Barb

S-QC-1202-04-04
S-QC-1202-04-05
S-QC-1202-04-06
S-QC-1202-06-04
S-QC-1202-06-05
S-QC-1202-06-06
S-QC-1202-06-08
S-QC-1202-08-06
S-QC-1202-08-08
S-QC-1202-08-12
S-QC-1202-12-08
S-QC-1202-12-12
S-QC-1202-12-16



S-QC-1203


- (1) Plug
- (2) Push On Barb

S-QC-1203-04-04
S-QC-1203-04-06
S-QC-1203-06-04
S-QC-1203-06-06
S-QC-1203-06-08
S-QC-1203-08-06
S-QC-1203-08-08

Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs
STEEL



S-QC-1204

(1) Plug

(2) Reusable Hose Connection


S-QC-1204-04-04x1/2
S-QC-1204-04-04x5/8
S-QC-1204-04-04x9/16
S-QC-1204-04-05x9/16
S-QC-1204-04-06x11/16
S-QC-1204-04-06x13/16
S-QC-1204-04-06x3/4
S-QC-1204-04-06x5/8
S-QC-1204-04-06x7/8
S-QC-1204-04-06x9/16
S-QC-1204-06-05x11/16
S-QC-1204-06-05x5/8
S-QC-1204-06-05x9/16
S-QC-1204-06-06x11/16
S-QC-1204-06-06x13/16
S-QC-1204-06-06x3/4
S-QC-1204-06-06x5/8
S-QC-1204-06-06x7/8
S-QC-1204-06-06x9/16
S-QC-1204-06-08x1
S-QC-1204-06-08x15/16
S-QC-1204-06-08x7/8
S-QC-1204-08-06x11/16
S-QC-1204-08-06x13/16
S-QC-1204-08-06x3/4
S-QC-1204-08-06x5/8
S-QC-1204-08-06x7/8
S-QC-1204-08-08x1
S-QC-1204-08-08x15/16
S-QC-1204-08-08x7/8

Styles may vary from picture

INDUSTRIAL INTERCHANGE PLUGS

Conforms to MIL-C4109 Specs
STAINLESS STEEL


AQ	FD40
TOMCO	1800



SS-QC-1200-303

- (1) Plug
- (2) Male Pipe


SS-QC-1200-04-02-30
SS-QC-1200-04-04-30
SS-QC-1200-06-06-30
SS-QC-1200-08-08-30



SS-QC-1201-303

- (1) Plug
- (2) Female Pipe

SS-QC-1201-04-04-30
SS-QC-1201-06-06-30
SS-QC-1201-08-08-30



SS-QC-1202-303

- (1) Plug
- (2) Hose Barb


SS-QC-1202-04-04-30
SS-QC-1202-06-06-30
SS-QC-1202-08-08-30

Styles may vary from picture

ARO INTERCHANGE

STEEL


AQ	FD41
ARO	210, 310
FOSTER	210-10
HANSEN	102
PARKER	50



S-QC-1300

- (1) Socket
- (2) Female Pipe


S-QC-1300-04-02
S-QC-1300-04-04
S-QC-1300-04-06
S-QC-1300-06-04
S-QC-1300-06-06
S-QC-1300-06-08



S-QC-1301

- (1) Plug
- (2) Male Pipe


S-QC-1301-04-02
S-QC-1301-04-04
S-QC-1301-04-06
S-QC-1301-06-06



S-QC-1302

- (1) Plug
- (2) Female Pipe


S-QC-1302-04-02
S-QC-1302-04-04
S-QC-1302-04-06
S-QC-1302-06-06



S-QC-1303

- (1) Plug
- (2) Hose Barb


S-QC-1303-04-04
S-QC-1303-04-05
S-QC-1303-04-06
S-QC-1303-06-06
S-QC-1303-06-08



S-QC-1304

- (1) Socket
- (2) Male Pipe

S-QC-1304-04-02
S-QC-1304-04-04
S-QC-1304-04-06
S-QC-1304-06-04
S-QC-1304-06-06
S-QC-1304-06-08



S-QC-1305

- (1) Socket
- (2) Hose Barb


S-QC-1305-04-04
S-QC-1305-04-05
S-QC-1305-04-06
S-QC-1305-06-04
S-QC-1305-06-06
S-QC-1305-06-08

Styles may vary from picture

ARO INTERCHANGE

STEEL

AQ	FD41
ARO	210, 310
FOSTER	210-10
HANSEN	102
PARKER	50



S-QC-1306

- (1) Socket
- (2) Push Loc Hose Barb

S-QC-1306-04-04

S-QC-1306-04-06



S-QC-1307

- (1) Plug
- (2) Push Loc Hose Barb

S-QC-1307-04-04

Styles may vary from picture


AUTOMOTIVE INTERCHANGE

SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

STEEL

FOSTER	TF
PARKER	10
TOMCO	2000



B-QC-1400

- (1) Sleeve Socket
- (2) Male Pipe


B-QC-1400-04-02
B-QC-1400-04-04
B-QC-1400-04-06
B-QC-1400-06-06
B-QC-1400-08-08



B-QC-1401

- (1) Sleeve Socket
- (2) Female Pipe


B-QC-1401-04-02
B-QC-1401-04-04
B-QC-1401-04-06
B-QC-1401-06-06
B-QC-1401-08-08



B-QC-1402

- (1) Sleeve Socket
- (2) Hose Barb


B-QC-1402-04-04
B-QC-1402-04-05
B-QC-1402-04-06



B-QC-1403

- (1) Sleeve Socket
- (2) Push On Barb

B-QC-1403-04-04
B-QC-1403-04-06



B-QC-1404

- (1) Sleeve Socket
- (2) Reusable Hose Connection

B-QC-1404-04-04x1/2
B-QC-1404-04-04x11/16
B-QC-1404-04-04x3/4
B-QC-1404-04-04x5/8
B-QC-1404-04-04x9/16
B-QC-1404-04-05x11/16
B-QC-1404-04-05x5/8
B-QC-1404-04-05x9/16
B-QC-1404-04-06x11/16
B-QC-1404-04-06x13/16
B-QC-1404-04-06x3/4
B-QC-1404-04-06x5/8
B-QC-1404-04-06x7/8
B-QC-1404-04-06x9/16

Styles may vary from picture

AUTOMOTIVE INTERCHANGE

SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

BRASS

FOSTER	TF
PARKER	10
TOMCO	2000



B-QC-1405


(1) Plug

(2) Male Pipe

B-QC-1405-04-04

B-QC-1405-06-06

B-QC-1405-08-08



B-QC-1406

(1) Plug

(2) Female Pipe

B-QC-1406-04-04

B-QC-1406-06-06

B-QC-1406-08-08

Styles may vary from picture


AUTOMOTIVE INTERCHANGE

SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

STEEL


FOSTER	TF
PARKER	10
TOMCO	PT400



S-QC-1400

- (1) Socket
- (2) Male Pipe

S-QC-1400-04-04
S-QC-1400-06-04
S-QC-1400-06-06
S-QC-1400-06-08
S-QC-1400-08-06
S-QC-1400-08-08
S-QC-1400-08-12



S-QC-1402

- (1) Socket
- (2) Hose Barb


S-QC-1402-04-04
S-QC-1402-06-04
S-QC-1402-06-06
S-QC-1402-06-08
S-QC-1402-08-06
S-QC-1402-08-08
S-QC-1402-08-12



S-QC-1401

- (1) Socket
- (2) Female Pipe

S-QC-1401-06-04
S-QC-1401-06-06
S-QC-1401-06-08
S-QC-1401-08-06
S-QC-1401-08-08
S-QC-1401-08-12



S-QC-1403

- (1) Socket
- (2) Push On Barb

S-QC-1403-04-04
S-QC-1403-06-04
S-QC-1403-06-06
S-QC-1403-08-06
S-QC-1403-08-08

Styles may vary from picture


AUTOMOTIVE INTERCHANGE

SEMI-AUTOMATIC, SINGLE SHUT-OFF

TRU-FLATE STYLE

STEEL


TOMCO 2000



S-QC-1405

- (1) Plug
- (2) Male Pipe


S-QC-1405-04-02
S-QC-1405-04-04
S-QC-1405-04-06
S-QC-1405-06-04
S-QC-1405-06-06
S-QC-1405-06-08
S-QC-1405-08-06
S-QC-1405-08-08
S-QC-1405-08-12



S-QC-1406

- (1) Plug
- (2) Female Pipe

S-QC-1406-04-02
S-QC-1406-04-04
S-QC-1406-04-06
S-QC-1406-06-04
S-QC-1406-06-06
S-QC-1406-06-08
S-QC-1406-08-06
S-QC-1406-08-08
S-QC-1406-08-12



S-QC-1407

- (1) Plug
- (2) Hose Barb

S-QC-1407-04-04
S-QC-1407-04-05
S-QC-1407-04-06
S-QC-1407-06-04
S-QC-1407-06-06
S-QC-1407-06-08
S-QC-1407-08-06
S-QC-1407-08-08
S-QC-1407-08-12



S-QC-1408

- (1) Plug
- (2) Push On Barb

S-QC-1408-04-04
S-QC-1408-04-06
S-QC-1408-06-06
S-QC-1408-08-06
S-QC-1408-08-08



S-QC-1409

- (1) Plug
- (2) Reusable Hose Connection

S-QC-1409-04-04x08
S-QC-1409-04-04x10
S-QC-1409-04-06x11
S-QC-1409-04-06x12


Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486

BOWES INTERCHANGE


BRASS



B-QC-1450

- (1) Plug
- (2) Male Pipe


B-QC-1450-08-06
B-QC-1450-08-08
B-QC-1450-08-12



B-QC-1453

- (1) Socket
- (2) Collar Hose Barb


B-QC-1453-08-06
B-QC-1453-08-08
B-QC-1453-08-12



B-QC-1451

- (1) Socket
- (2) Male Pipe


B-QC-1451-08-06
B-QC-1451-08-08
B-QC-1451-08-12



B-QC-1454

- (1) Plug
- (2) Female Pipe


B-QC-1454-08-06
B-QC-1454-08-08
B-QC-1454-08-12



B-QC-1452

- (1) Plug
- (2) Collar Hose Barb

B-QC-1452-08-06
B-QC-1452-08-08
B-QC-1452-08-12



B-QC-1455

- (1) Socket
- (2) Female Pipe

B-QC-1455-08-06
B-QC-1455-08-08
B-QC-1455-08-12


Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486

BOWES INTERCHANGE

BRASS




B-QC-1456

- (1) Plug with Sleeve Lock Ring
- (2) Male Pipe

B-QC-1456-08-08


B-QC-1456-08-12



B-QC-1459

- (1) Plug
- (2) Socket

B-QC-1459-08-08-08




B-QC-1457

- (1) Plug
- (2) Collar Hose Barb with Sleeve Lock Ring

B-QC-1457-08-08

B-QC-1457-08-12



B-QC-1458

- (1) Socket
- (2) (3) Plug

B-QC-1458-08-08-08


Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486

BOWES INTERCHANGE

STEEL




S-QC-1450

- (1) Plug
- (2) Male Pipe

S-QC-1450-08-06

S-QC-1450-08-08

S-QC-1450-08-12




S-QC-1453

- (1) Socket
- (2) Collar Hose Barb

S-QC-1453-08-06

S-QC-1453-08-08

S-QC-1453-08-12




S-QC-1451

- (1) Socket
- (2) Male Pipe

S-QC-1451-08-06

S-QC-1451-08-08

S-QC-1451-08-12




S-QC-1454

- (1) Plug
- (2) Female Pipe

S-QC-1454-08-06

S-QC-1454-08-08

S-QC-1454-08-12




S-QC-1452

- (1) Plug
- (2) Collar Hose Barb

S-QC-1452-08-06

S-QC-1452-08-08

S-QC-1452-08-12



S-QC-1455

- (1) Socket
- (2) Female Pipe

S-QC-1455-08-06

S-QC-1455-08-08

S-QC-1455-08-12


Styles may vary from picture

FULL FLOW, INTERCHANGEABLE

MIL-C3486

BOWES INTERCHANGE

STEEL




S-QC-1456

(1) Plug

(2) Male Pipe with Sleeve Lock Ring

S-QC-1456-08-08

S-QC-1456-08-12



S-QC-1457

(1) Plug

(2) Collar Hose Barb with Sleeve Lock Ring


S-QC-1457-08-08

S-QC-1457-08-12

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE COUPLINGS

THOR INDUSTRIAL INTERCHANGE
BRASS




B-QC-1460

- (1) Socket
- (2) Collar Hose Barb

B-QC-1460-08-12

B-QC-1460-08-16



B-QC-1463

- (1) Coupling
- (2) Male Pipe

B-QC-1463-08-08

B-QC-1463-08-12


B-QC-1463-08-16

Styles may vary from picture

FULL FLOW, INTERCHANGEABLE COUPLINGS

THOR INDUSTRIAL INTERCHANGE


STEEL



S-QC-1460

- (1) Coupling (with Sleeve)
- (2) Collar Hose Barb


S-QC-1460-08-06
S-QC-1460-08-08
S-QC-1460-08-12
S-QC-1460-08-16



S-QC-1463

- (1) Coupling
- (2) Male Pipe


S-QC-1463-08-06
S-QC-1463-08-08
S-QC-1463-08-12
S-QC-1463-08-16



S-QC-1461

- (1) Coupling (with Sleeve)
- (2) Male Pipe


S-QC-1461-08-06
S-QC-1461-08-08
S-QC-1461-08-12



S-QC-1464

- (1) Coupling
- (2) Female Pipe

S-QC-1464-08-06
S-QC-1464-08-08
S-QC-1464-08-12
S-QC-1464-08-16



S-QC-1462

- (1) Coupling (with Sleeve)
- (2) Female Pipe

S-QC-1462-08-08
S-QC-1462-08-12

S-QC-1465

Sleeve Locking Key

S-QC-1465-08


Styles may vary from picture

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile - Reduce Risk of Disconnection When Pulling Across Obstacles

SOCKETS


BRASS



B-QC-1470

- (1) Socket
- (2) Male Pipe


B-QC-1470-02-02
B-QC-1470-04-02
B-QC-1470-04-04
B-QC-1470-04-06



B-QC-1473

- (1) Socket
- (2) Poly Flow


B-QC-1473-02-.170x1/4
B-QC-1473-04-.125x1/4



B-QC-1471

- (1) Socket
- (2) Female Pipe


B-QC-1471-02-02
B-QC-1471-04-02
B-QC-1471-04-04
B-QC-1471-04-06



B-QC-1474

- (1) Socket
- (2) Reusable Hose

B-QC-1474-04-04x1/2
B-QC-1474-04-04x5/8
B-QC-1474-04-06x11/16
B-QC-1474-04-06x3/4



B-QC-1472

- (1) Socket
- (2) Hose Barb


B-QC-1472-02-02
B-QC-1472-04-02
B-QC-1472-04-04
B-QC-1472-04-06

Styles may vary from picture

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile - Reduce Risk of Disconnection When Pulling Across Obstacles

SOCKETS STAINLESS STEEL




SS-QC-1470-303

- (1) Socket
- (2) Male Pipe

SS-QC-1470-02-02-303

SS-QC-1470-04-04-303




SS-QC-1471-303

- (1) Socket
- (2) Female Pipe

SS-QC-1471-02-02-303

SS-QC-1471-04-04-303



SS-QC-1472-303

- (1) Socket
- (2) Hose Barb

SS-QC-1472-02-02-303

SS-QC-1472-04-04-303


Styles may vary from picture

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile - Reduce Risk of Disconnection When Pulling Across Obstacles

PLUGS


BRASS



B-QC-1475

- (1) Plug
- (2) Male Pipe


B-QC-1475-02-02
B-QC-1475-04-02
B-QC-1475-04-04
B-QC-1475-04-06



B-QC-1478

- (1) Plug
- (2) Poly Flow


B-QC-1478-02-.125x1/4
B-QC-1478-02-.170x1/4



B-QC-1476

- (1) Plug
- (2) Female Pipe


B-QC-1476-02-02
B-QC-1476-04-02
B-QC-1476-04-04
B-QC-1476-04-06



B-QC-1479

- (1) Plug
- (2) Reusable Hose

B-QC-1479-04-06x3/4



B-QC-1477

- (1) Plug
- (2) Hose Barb

B-QC-1477-02-02
B-QC-1477-04-02
B-QC-1477-04-03
B-QC-1477-04-04
B-QC-1477-04-06


Styles may vary from picture

SINGLE SHUT-OFF, SPECIALTY COUPLINGS

For Air-Compact Profile-Reduce Risk of Disconnection When Pulling Across Obstacles

PLUGS


STEEL and STAINLESS STEEL



S-QC-1475

- (1) Plug
- (2) Male Pipe


S-QC-1475-02-02
S-QC-1475-04-02
S-QC-1475-04-04
S-QC-1475-04-06



SS-QC-1475-303

- (1) Plug
- (2) Male Pipe


SS-QC-1475-02-02-303
SS-QC-1475-04-04-303



S-QC-1476

- (1) Plug
- (2) Female Pipe


S-QC-1476-02-02
S-QC-1476-04-02
S-QC-1476-04-04
S-QC-1476-04-06



SS-QC-1476-303

- (1) Plug
- (2) Female Pipe


SS-QC-1476-02-02-303
SS-QC-1476-04-04-303



S-QC-1477

- (1) Plug
- (2) Hose Barb

S-QC-1477-04-02
S-QC-1477-04-04
S-QC-1477-04-06



SS-QC-1477-303


- (1) Plug
- (2) Hose Barb

SS-QC-1477-02-02-303
SS-QC-1477-04-04-303

Styles may vary from picture

UNIVERSAL INTERCHANGE

BRASS and STEEL



B-QC-1630

- (1) Socket
- (2) Male Pipe


B-QC-1630-04-04
B-QC-1630-04-06



S-QC-1633

- (1) Plug
- (2) Male Pipe


S-QC-1633-04-04
S-QC-1633-04-06



B-QC-1631

- (1) Socket
- (2) Female Pipe


B-QC-1631-04-04
B-QC-1631-04-06



S-QC-1634

- (1) Plug
- (2) Female Pipe


S-QC-1634-04-04
S-QC-1634-04-06



B-QC-1632

- (1) Socket
- (2) Push Loc

B-QC-1632-04-04
B-QC-1632-04-06



S-QC-1635

- (1) Plug
- (2) Push Loc


S-QC-1635-04-04
S-QC-1635-04-06

Styles may vary from picture

HIGH PRESSURE - SCREW TOGETHER HYDRAULIC

STEEL
10,000 PSI

BRUNING	IP-370
ENERPAC	C-604
PARKER	3000
SAFeway	S30



S-QC-1500

Plug & Socket Assy with Threaded
Metal Dust Plug for Socket


S-QC-1500-04-04
S-QC-1500-06-06



S-QC-1502-C

Metal Screw Type Cap


S-QC-1502-C-04
S-QC-1502-C-06



S-QC-1501

Socket Assy with Threaded
Metal Dust Plug


S-QC-1501-04-04
S-QC-1501-06-06



S-QC-1505

(1) Threaded Socket
(2) Male Pipe


S-QC-1505-04-04
S-QC-1505-06-06



S-QC-1502

(1) Threaded Plug
(2) Female Pipe

S-QC-1502-04-04
S-QC-1502-06-06



S-QC-1505-P


Metal Screw Type Plug

S-QC-1505-P-04
S-QC-1505-P-06

Styles may vary from picture

HIGH PRESSURE - SCREW TOGETHER HYDRAULIC STAINLESS STEEL 10,000 PSI


BRUNING	IP-370
ENERPAC	C-604
PARKER	3000
SAFEWAY	S30



SS-QC-1502

- (1) Threaded Plug
- (2) Female Pipe

SS-QC-1502-06-06



SS-QC-1505

- (1) Threaded Socket
- (2) Male Pipe


SS-QC-1505-06-06

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

BRASS


PARKER	BST
TOMCO	ST



B-QC-1600

- (1) Socket
- (2) Male Pipe


B-QC-1600-02-02
B-QC-1600-04-04
B-QC-1600-06-06
B-QC-1600-08-08
B-QC-1600-12-12
B-QC-1600-16-16
B-QC-1600-20-20
B-QC-1600-24-24
B-QC-1600-32-32



B-QC-1602

- (1) Plug
- (2) Male Pipe


B-QC-1602-02-02
B-QC-1602-04-04
B-QC-1602-06-06
B-QC-1602-08-08
B-QC-1602-12-12
B-QC-1602-16-16
B-QC-1602-20-20
B-QC-1602-24-24
B-QC-1602-32-32



B-QC-1601

- (1) Socket
- (2) Female Pipe

B-QC-1601-02-02
B-QC-1601-04-04
B-QC-1601-06-06
B-QC-1601-08-08
B-QC-1601-12-12
B-QC-1601-16-16
B-QC-1601-20-20
B-QC-1601-24-24
B-QC-1601-32-32



B-QC-1603

- (1) Plug
- (2) Female Pipe


B-QC-1603-02-02
B-QC-1603-04-04
B-QC-1603-06-06
B-QC-1603-08-08
B-QC-1603-12-12
B-QC-1603-16-16
B-QC-1603-20-20
B-QC-1603-24-24
B-QC-1603-32-32

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

STEEL


PARKER BST
TOMCO ST



S-QC-1602

- (1) Plug
- (2) Male Pipe


S-QC-1602-02-02
S-QC-1602-04-04
S-QC-1602-06-06
S-QC-1602-08-08
S-QC-1602-12-12
S-QC-1602-16-16
S-QC-1602-20-20
S-QC-1602-24-24
S-QC-1602-32-32



S-QC-1611

- (1) Plug
- (2) Hose Barb

S-QC-1611-04-04
S-QC-1611-06-06
S-QC-1611-08-08
S-QC-1611-12-12
S-QC-1611-16-16



S-QC-1603

- (1) Plug
- (2) Female Pipe

S-QC-1603-02-02
S-QC-1603-04-04
S-QC-1603-06-06
S-QC-1603-08-08
S-QC-1603-12-12
S-QC-1603-16-16
S-QC-1603-20-20
S-QC-1603-24-24
S-QC-1603-32-32



S-QC-1621

- (1) Plug
- (2) Collar Hose Barb


S-QC-1621-12-12

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

STAINLESS STEEL


PARKER BST
TOMCO ST



SS-QC-1600-303

- (1) Socket
- (2) Male Pipe


SS-QC-1600-02-02-303
SS-QC-1600-04-04-303
SS-QC-1600-06-06-303
SS-QC-1600-08-08-303
SS-QC-1600-12-12-303
SS-QC-1600-16-16-303
SS-QC-1600-20-20-303
SS-QC-1600-24-24-303
SS-QC-1600-32-32-303



SS-QC-1602-303

- (1) Plug
- (2) Male Pipe


SS-QC-1602-02-02-303
SS-QC-1602-04-04-303
SS-QC-1602-06-06-303
SS-QC-1602-08-08-303
SS-QC-1602-12-12-303
SS-QC-1602-16-16-303
SS-QC-1602-20-20-303
SS-QC-1602-24-24-303
SS-QC-1602-32-32-303



SS-QC-1601-303

- (1) Socket
- (2) Female Pipe

SS-QC-1601-02-02-303
SS-QC-1601-04-04-303
SS-QC-1601-06-06-303
SS-QC-1601-08-08-303
SS-QC-1601-12-12-303
SS-QC-1601-16-16-303
SS-QC-1601-20-20-303
SS-QC-1601-24-24-303
SS-QC-1601-32-32-303



SS-QC-1603-303

- (1) Plug
- (2) Female Pipe


SS-QC-1603-02-02-303
SS-QC-1603-04-04-303
SS-QC-1603-06-06-303
SS-QC-1603-08-08-303
SS-QC-1603-12-12-303
SS-QC-1603-16-16-303
SS-QC-1603-20-20-303
SS-QC-1603-24-24-303
SS-QC-1603-32-32-303

Styles may vary from picture

INDUSTRIAL FULL FLOW INTERCHANGE

STAINLESS STEEL


PARKER	BST
TOMCO	ST



SS-QC-1610-303

- (1) Socket
- (2) Hose Barb

SS-QC-1610-04-04-303
SS-QC-1610-06-06-303
SS-QC-1610-08-08-303
SS-QC-1610-12-12-303
SS-QC-1610-16-16-303




SS-QC-1611-303

- (1) Plug
- (2) Hose Barb

SS-QC-1611-04-04-303
SS-QC-1611-06-06-303
SS-QC-1611-08-08-303
SS-QC-1611-12-12-303
SS-QC-1611-16-16-303

Styles may vary from picture


MOBILE / INDUSTRIAL, GARDEN HOSE INTERCHANGE BRASS



B-QC-1690

- (1) Socket
- (2) Female Garden Hose

B-QC-1690-12-12



B-QC-1691

- (1) Plug
- (2) Male Garden Hose

B-QC-1691-12-12



B-QC-1692

- (1) Plug
- (2) Hose Barb


B-QC-1692-10-12

B-QC-1692-12-12

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-B 7241-B BRASS


AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



B-QC-1700

- (1) Socket
- (2) Female Pipe


B-QC-1700-02-02
B-QC-1700-04-04
B-QC-1700-06-06
B-QC-1700-08-08
B-QC-1700-12-12
B-QC-1700-16-16
B-QC-1700-20-20
B-QC-1700-24-20
B-QC-1700-24-24
B-QC-1700-32-32



B-QC-1701

- (1) Plug
- (2) Female Pipe


B-QC-1701-02-02
B-QC-1701-04-04
B-QC-1701-06-06
B-QC-1701-08-08
B-QC-1701-12-12
B-QC-1701-16-16
B-QC-1701-20-20
B-QC-1701-24-20
B-QC-1701-24-24
B-QC-1701-32-32



B-QC-1710

- (1) Socket
- (2) Female O-Ring

B-QC-1710-08-08



B-QC-1711

- (1) Plug
- (2) Female O-Ring

B-QC-1711-08-08



B-QC-1720


- (1) Socket
- (2) Female BSPP

B-QC-1720-04-04
B-QC-1720-06-06
B-QC-1720-08-08
B-QC-1720-12-12
B-QC-1720-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-B 7241-B BRASS

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



B-QC-1721


- (1) Plug
- (2) Female BSPP

B-QC-1721-04-04
B-QC-1721-06-06
B-QC-1721-08-08
B-QC-1721-12-12
B-QC-1721-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-B 7241-B STEEL


AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



S-QC-1700

- (1) Socket
(2) Female Pipe


S-QC-1700-02-02
S-QC-1700-04-04
S-QC-1700-06-06
S-QC-1700-08-08
S-QC-1700-12-12
S-QC-1700-16-16
S-QC-1700-20-20
S-QC-1700-24-20
S-QC-1700-24-24
S-QC-1700-32-32



S-QC-1710

- (1) Socket
(2) Female O-Ring


S-QC-1710-02-04
S-QC-1710-04-06
S-QC-1710-06-08
S-QC-1710-08-10
S-QC-1710-12-12
S-QC-1710-16-16
S-QC-1710-24-20
S-QC-1710-24-24



S-QC-1701

- (1) Plug
(2) Female Pipe

S-QC-1701-02-02
S-QC-1701-04-04
S-QC-1701-06-06
S-QC-1701-08-08
S-QC-1701-12-12
S-QC-1701-16-16
S-QC-1701-20-20
S-QC-1701-24-20
S-QC-1701-24-24
S-QC-1701-32-32



S-QC-1711


- (1) Plug
(2) Female O-Ring

S-QC-1711-02-04
S-QC-1711-04-06
S-QC-1711-06-08
S-QC-1711-08-10
S-QC-1711-12-12
S-QC-1711-16-16
S-QC-1711-24-20
S-QC-1711-24-24

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-B 7241-B STEEL

AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	60
SNAP-TITE	72
TOMCO	TH,TK



S-QC-1720

- (1) Socket
- (2) Female BSPP

S-QC-1720-04-04
S-QC-1720-06-06
S-QC-1720-08-08
S-QC-1720-12-12
S-QC-1720-16-16
S-QC-1720-20-20
S-QC-1720-24-24



S-QC-1721

- (1) Plug
- (2) Female BSPP


S-QC-1721-04-04
S-QC-1721-06-06
S-QC-1721-08-08
S-QC-1721-12-12
S-QC-1721-16-16
S-QC-1721-20-20
S-QC-1721-24-24

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

ISO-B 7241-B STAINLESS STEEL


AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	50
SNAP-TITE	72
TOMCO	TH, TK



SS-QC-1700 (316)

- (1) Socket
- (2) Female Pipe


SS-QC-1700-04-04
SS-QC-1700-06-06
SS-QC-1700-08-08
SS-QC-1700-12-12
SS-QC-1700-16-16
SS-QC-1700-20-20
SS-QC-1700-24-24



SS-QC-1700-303

- (1) Socket
- (2) Female Pipe


SS-QC-1700-02-02-303
SS-QC-1700-04-04-303
SS-QC-1700-06-06-303
SS-QC-1700-08-08-303
SS-QC-1700-12-12-303
SS-QC-1700-16-16-303
SS-QC-1700-20-20-303
SS-QC-1700-24-20-303
SS-QC-1700-24-24-303
SS-QC-1700-32-32-303



SS-QC-1701 (316)

- (1) Plug
- (2) Female Pipe

SS-QC-1701-04-04
SS-QC-1701-06-06
SS-QC-1701-08-08
SS-QC-1701-12-12
SS-QC-1701-16-16
SS-QC-1701-20-20
SS-QC-1701-24-24



SS-QC-1701-303

- (1) Plug
- (2) Female Pipe

SS-QC-1701-02-02-303
SS-QC-1701-04-04-303
SS-QC-1701-06-06-303
SS-QC-1701-08-08-303
SS-QC-1701-12-12-303
SS-QC-1701-16-16-303
SS-QC-1701-20-20-303
SS-QC-1701-24-20-303
SS-QC-1701-24-24-303
SS-QC-1701-32-32-303


Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

ISO-B 7241-B

STAINLESS STEEL


AQ	FD45
FASTER	HNV
HANSEN	HK
PARKER	50
SNAP-TITE	72
TOMCO	TH, TK



SS-QC-1710-303

- (1) Socket
- (2) Female O-Ring


SS-QC-1710-02-04-303
SS-QC-1710-04-06-303
SS-QC-1710-06-08-303
SS-QC-1710-08-10-303
SS-QC-1710-12-12-303
SS-QC-1710-16-16-303
SS-QC-1710-20-20-303
SS-QC-1710-24-24-303



SS-QC-1720-303

- (1) Socket
- (2) Female BSPP


SS-QC-1720-04-04-303
SS-QC-1720-06-06-303
SS-QC-1720-08-08-303
SS-QC-1720-12-12-303
SS-QC-1720-16-16-303



SS-QC-1711-303

- (1) Plug
- (2) Female O-Ring

SS-QC-1711-02-04-303
SS-QC-1711-04-06-303
SS-QC-1711-06-08-303
SS-QC-1711-08-10-303
SS-QC-1711-12-12-303
SS-QC-1711-16-16-303
SS-QC-1711-20-20-303
SS-QC-1711-24-24-303



SS-QC-1721-303

- (1) Plug
- (2) Female BSPP


SS-QC-1721-04-04-303
SS-QC-1721-06-06-303
SS-QC-1721-08-08-303
SS-QC-1721-12-12-303
SS-QC-1721-16-16-303

Styles may vary from picture

ISO-B INTERCHANGE

STEAM SERVICE

BRASS and STEEL



B-QC-1800

- (1) Socket
- (2) Female Pipe

B-QC-1800-04-04
B-QC-1800-06-06
B-QC-1800-08-08
B-QC-1800-12-12
B-QC-1800-16-16



S-QC-1801

- (1) Plug
- (2) Female Pipe

S-QC-1801-04-04
S-QC-1801-06-06
S-QC-1801-08-08
S-QC-1801-12-12
S-QC-1801-16-16



B-QC-1801

- (1) Plug
- (2) Female Pipe


B-QC-1801-04-04
B-QC-1801-06-06
B-QC-1801-08-08
B-QC-1801-12-12
B-QC-1801-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Valved
BRASS


FASTER TNV
SNAP-TITE H SERIES



B-QC-1900

- (1) Socket
- (2) Female Pipe


B-QC-1900-04-04
B-QC-1900-06-06
B-QC-1900-08-08
B-QC-1900-12-12
B-QC-1900-16-16
B-QC-1900-20-20
B-QC-1900-24-24
B-QC-1900-32-32



B-QC-1920

- (1) Socket
- (2) Female BSPP


B-QC-1920-04-04
B-QC-1920-06-06
B-QC-1920-08-08
B-QC-1920-12-12
B-QC-1920-16-16
B-QC-1920-20-20
B-QC-1920-24-24
B-QC-1920-32-32



B-QC-1901

- (1) Plug
- (2) Female Pipe

B-QC-1901-04-04
B-QC-1901-06-06
B-QC-1901-08-08
B-QC-1901-12-12
B-QC-1901-16-16
B-QC-1901-20-20
B-QC-1901-24-24
B-QC-1901-32-32



B-QC-1921

- (1) Plug
- (2) Female BSPP


B-QC-1921-04-04
B-QC-1921-06-06
B-QC-1921-08-08
B-QC-1921-12-12
B-QC-1921-16-16
B-QC-1921-20-20
B-QC-1921-24-24
B-QC-1921-32-32

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Valved
BRASS


FASTER TNV
SNAP-TITE H SERIES



B-QC-1940

- (1) Socket
- (2) Male Pipe

B-QC-1940-04-04
B-QC-1940-06-06
B-QC-1940-08-08
B-QC-1940-12-12
B-QC-1940-16-16
B-QC-1940-20-20
B-QC-1940-24-24
B-QC-1940-32-32



B-QC-1951

- (1) Plug
- (2) Male Pipe

B-QC-1951-04-04
B-QC-1951-06-06
B-QC-1951-08-08
B-QC-1951-12-12
B-QC-1951-16-16
B-QC-1951-20-20
B-QC-1951-24-24
B-QC-1951-32-32


Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved

STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1900

- (1) Socket
(2) Female Pipe


S-QC-1900-04-04
S-QC-1900-06-06
S-QC-1900-08-08
S-QC-1900-12-12
S-QC-1900-16-16
S-QC-1900-20-20
S-QC-1900-24-24
S-QC-1900-32-32



S-QC-1910

- (1) Socket
(2) Female O-Ring


S-QC-1910-04-04
S-QC-1910-06-06
S-QC-1910-08-08
S-QC-1910-12-12
S-QC-1910-16-16
S-QC-1910-20-20
S-QC-1910-24-24



S-QC-1901

- (1) Plug
(2) Female Pipe

S-QC-1901-04-04
S-QC-1901-06-06
S-QC-1901-08-08
S-QC-1901-12-12
S-QC-1901-16-16
S-QC-1901-20-20
S-QC-1901-24-24
S-QC-1901-32-32



S-QC-1911

- (1) Plug
(2) Female O-Ring


S-QC-1911-04-04
S-QC-1911-06-06
S-QC-1911-08-08
S-QC-1911-12-12
S-QC-1911-16-16
S-QC-1911-20-20
S-QC-1911-24-24

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STEEL


FASTER TNV
SNAP-TITE H SERIES



S-QC-1920

- (1) Socket
- (2) Female BSPP


S-QC-1920-04-04
S-QC-1920-06-06
S-QC-1920-08-08
S-QC-1920-12-12
S-QC-1920-16-16
S-QC-1920-20-20
S-QC-1920-24-24
S-QC-1920-32-32



S-QC-1940

- (1) Socket
- (2) Male Pipe


S-QC-1940-04-04
S-QC-1940-06-06
S-QC-1940-08-08
S-QC-1940-12-12
S-QC-1940-16-16
S-QC-1940-20-20
S-QC-1940-24-24
S-QC-1940-32-32



S-QC-1921

- (1) Plug
- (2) Female BSPP

S-QC-1921-04-04
S-QC-1921-06-06
S-QC-1921-08-08
S-QC-1921-12-12
S-QC-1921-16-16
S-QC-1921-20-20
S-QC-1921-24-24
S-QC-1921-32-32



S-QC-1942

- (1) Socket
- (2) Male BSPP


S-QC-1942-04-04
S-QC-1942-06-06
S-QC-1942-08-08
S-QC-1942-12-12
S-QC-1942-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STEEL

FASTER TNV
SNAP-TITE H SERIES



S-QC-1951

(1) Plug

(2) Male Pipe

S-QC-1951-04-04

S-QC-1951-06-06

S-QC-1951-08-08


S-QC-1951-12-12

S-QC-1951-16-16

S-QC-1951-20-20

S-QC-1951-24-24

S-QC-1951-32-32



S-QC-1953

(1) Plug

(2) Male BST

S-QC-1953-04-04

S-QC-1953-06-06

S-QC-1953-08-08

S-QC-1953-12-12


S-QC-1953-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STAINLESS STEEL


FASTER TNV
SNAP-TITE H SERIES



SS-QC-1900

- (1) Socket
- (2) Female Pipe


SS-QC-1900-04-04
SS-QC-1900-06-06
SS-QC-1900-08-08
SS-QC-1900-12-12
SS-QC-1900-16-16
SS-QC-1900-20-20
SS-QC-1900-24-24
SS-QC-1900-32-32



SS-QC-1920

- (1) Socket
- (2) Female BSPP


SS-QC-1920-04-04
SS-QC-1920-06-06
SS-QC-1920-08-08
SS-QC-1920-12-12
SS-QC-1920-16-16
SS-QC-1920-20-20
SS-QC-1920-24-24
SS-QC-1920-32-32



SS-QC-1901

- (1) Plug
- (2) Female Pipe

SS-QC-1901-04-04
SS-QC-1901-06-06
SS-QC-1901-08-08
SS-QC-1901-12-12
SS-QC-1901-16-16
SS-QC-1901-20-20
SS-QC-1901-24-24
SS-QC-1901-32-32



SS-QC-1921

- (1) Plug
- (2) Female BSPP


SS-QC-1921-04-04
SS-QC-1921-06-06
SS-QC-1921-08-08
SS-QC-1921-12-12
SS-QC-1921-16-16
SS-QC-1921-20-20
SS-QC-1921-24-24
SS-QC-1921-32-32

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Valved
STAINLESS STEEL


FASTER TNV
SNAP-TITE H SERIES



SS-QC-1940

- (1) Socket
- (2) Male Pipe

SS-QC-1940-04-04
SS-QC-1940-06-06
SS-QC-1940-08-08
SS-QC-1940-12-12
SS-QC-1940-16-16
SS-QC-1940-20-20
SS-QC-1940-24-24
SS-QC-1940-32-32



SS-QC-1951

- (1) Plug
- (2) Male Pipe

SS-QC-1951-04-04
SS-QC-1951-06-06
SS-QC-1951-08-08
SS-QC-1951-12-12
SS-QC-1951-16-16
SS-QC-1951-20-20
SS-QC-1951-24-24
SS-QC-1951-32-32

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Non-Valved
BRASS

FASTER TNV
SNAP-TITE H SERIES



B-QC-1960-NV

- (1) Socket
- (2) Female Pipe


B-QC-1960-NV-04-04
B-QC-1960-NV-06-06
B-QC-1960-NV-08-08
B-QC-1960-NV-12-12
B-QC-1960-NV-16-16
B-QC-1960-NV-20-20
B-QC-1960-NV-24-24
B-QC-1960-NV-32-32



B-QC-1980-NV

- (1) Socket
- (2) Female BSPP


B-QC-1980-NV-04-04
B-QC-1980-NV-06-06
B-QC-1980-NV-08-08
B-QC-1980-NV-12-12
B-QC-1980-NV-16-16



B-QC-1961-NV

- (1) Plug
- (2) Female Pipe

B-QC-1961-NV-04-04
B-QC-1961-NV-06-06
B-QC-1961-NV-08-08
B-QC-1961-NV-12-12
B-QC-1961-NV-16-16
B-QC-1961-NV-20-20
B-QC-1961-NV-24-24
B-QC-1961-NV-32-32



B-QC-1981-NV

- (1) Plug
- (2) Female BSPP


B-QC-1981-NV-04-04
B-QC-1981-NV-06-06
B-QC-1981-NV-08-08
B-QC-1981-NV-12-12
B-QC-1981-NV-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE

Non-Valved
BRASS


FASTER TNV
SNAP-TITE H SERIES



B-QC-1990-NV

- (1) Socket
- (2) Male Pipe


B-QC-1990-NV-04-04
B-QC-1990-NV-06-06
B-QC-1990-NV-08-08
B-QC-1990-NV-12-12
B-QC-1990-NV-16-16



B-QC-1992-NV

- (1) Socket
- (2) Male BST


B-QC-1992-NV-04-04
B-QC-1992-NV-06-06
B-QC-1992-NV-08-08
B-QC-1992-NV-12-12
B-QC-1992-NV-16-16



B-QC-1991-NV

- (1) Plug
- (2) Male Pipe

B-QC-1991-NV-04-04
B-QC-1991-NV-06-06
B-QC-1991-NV-08-08
B-QC-1991-NV-12-12
B-QC-1991-NV-16-16



B-QC-1993-NV

- (1) Plug
- (2) Male BST

B-QC-1993-NV-04-04
B-QC-1993-NV-06-06
B-QC-1993-NV-08-08
B-QC-1993-NV-12-12
B-QC-1993-NV-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non-Valved
STEEL


FASTER TNV
SNAP-TITE H SERIES



S-QC-1960-NV

- (1) Socket
(2) Female Pipe


S-QC-1960-NV-04-04
S-QC-1960-NV-06-06
S-QC-1960-NV-08-08
S-QC-1960-NV-12-12
S-QC-1960-NV-16-16
S-QC-1960-NV-20-20
S-QC-1960-NV-24-24
S-QC-1960-NV-32-32



S-QC-1970-NV

- (1) Socket
(2) Female O-Ring


S-QC-1970-NV-04-04
S-QC-1970-NV-06-06
S-QC-1970-NV-08-08
S-QC-1970-NV-12-12
S-QC-1970-NV-16-16



S-QC-1961-NV

- (1) Plug
(2) Female Pipe

S-QC-1961-NV-04-04
S-QC-1961-NV-06-06
S-QC-1961-NV-08-08
S-QC-1961-NV-12-12
S-QC-1961-NV-16-16
S-QC-1961-NV-20-20
S-QC-1961-NV-24-24
S-QC-1961-NV-32-32



S-QC-1971-NV

- (1) Plug
(2) Female O-Ring


S-QC-1971-NV-04-04
S-QC-1971-NV-06-06
S-QC-1971-NV-08-08
S-QC-1971-NV-12-12
S-QC-1971-NV-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non-Valved STEEL


FASTER TNV
SNAP-TITE H SERIES



S-QC-1980-NV

- (1) Socket
- (2) Female BSPP


S-QC-1980-NV-04-04
S-QC-1980-NV-06-06
S-QC-1980-NV-08-08
S-QC-1980-NV-12-12
S-QC-1980-NV-16-16
S-QC-1980-NV-20-20
S-QC-1980-NV-24-24
S-QC-1980-NV-32-32



S-QC-1990-NV

- (1) Socket
- (2) Male Pipe

S-QC-1990-NV-04-04
S-QC-1990-NV-06-06
S-QC-1990-NV-08-08
S-QC-1990-NV-12-12
S-QC-1990-NV-16-16
S-QC-1990-NV-20-20
S-QC-1990-NV-24-24
S-QC-1990-NV-32-32



S-QC-1981-NV

- (1) Plug
- (2) Female BSPP

S-QC-1981-NV-04-04
S-QC-1981-NV-06-06
S-QC-1981-NV-08-08
S-QC-1981-NV-12-12
S-QC-1981-NV-16-16
S-QC-1981-NV-20-20
S-QC-1981-NV-24-24
S-QC-1981-NV-32-32



S-QC-1991-NV

- (1) Plug
- (2) Male Pipe


S-QC-1991-NV-04-04
S-QC-1991-NV-06-06
S-QC-1991-NV-08-08
S-QC-1991-NV-12-12
S-QC-1991-NV-16-16
S-QC-1991-NV-20-20
S-QC-1991-NV-24-24
S-QC-1991-NV-32-32

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non-Valved
STEEL


FASTER TNV
SNAP-TITE H SERIES



S-QC-1992-NV

- (1) Socket
- (2) Male BST

S-QC-1992-NV-04-04
S-QC-1992-NV-06-06
S-QC-1992-NV-08-08
S-QC-1992-NV-12-12
S-QC-1992-NV-16-16



S-QC-1993-NV

- (1) Plug
- (2) Male BST


S-QC-1993-NV-04-04
S-QC-1993-NV-06-06
S-QC-1993-NV-08-08
S-QC-1993-NV-12-12
S-QC-1993-NV-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non Valved
STAINLESS STEEL


FASTER TNV
SNAP-TITE H SERIES



SS-QC-1960-NV

- (1) Socket
- (2) Female Pipe


SS-QC-1960-NV-04-04
SS-QC-1960-NV-06-06
SS-QC-1960-NV-08-08
SS-QC-1960-NV-12-12
SS-QC-1960-NV-16-16
SS-QC-1960-NV-20-20
SS-QC-1960-NV-24-24
SS-QC-1960-NV-32-32



SS-QC-1980-NV

- (1) Socket
- (2) Female BSPP


SS-QC-1980-NV-04-04
SS-QC-1980-NV-06-06
SS-QC-1980-NV-08-08
SS-QC-1980-NV-12-12
SS-QC-1980-NV-16-16
SS-QC-1980-NV-20-20
SS-QC-1980-NV-24-24
SS-QC-1980-NV-32-32



SS-QC-1961-NV

- (1) Plug
- (2) Female Pipe

SS-QC-1961-NV-04-04
SS-QC-1961-NV-06-06
SS-QC-1961-NV-08-08
SS-QC-1961-NV-12-12
SS-QC-1961-NV-16-16
SS-QC-1961-NV-20-20
SS-QC-1961-NV-24-24
SS-QC-1961-NV-32-32



SS-QC-1981-NV

- (1) Plug
- (2) Female BSPP


SS-QC-1981-NV-04-04
SS-QC-1981-NV-06-06
SS-QC-1981-NV-08-08
SS-QC-1981-NV-12-12
SS-QC-1981-NV-16-16
SS-QC-1981-NV-20-20
SS-QC-1981-NV-24-24
SS-QC-1981-NV-32-32

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

Non Valved
STAINLESS STEEL

FASTER TNV
SNAP-TITE H SERIES



SS-QC-1990-NV

- (1) Socket
- (2) Male Pipe


SS-QC-1990-NV-04-04
SS-QC-1990-NV-06-06
SS-QC-1990-NV-08-08
SS-QC-1990-NV-12-12
SS-QC-1990-NV-16-16
SS-QC-1990-NV-20-20
SS-QC-1990-NV-24-24
SS-QC-1990-NV-32-32



SS-QC-1992-NV

- (1) Socket
- (2) Male BST


SS-QC-1992-NV-04-04
SS-QC-1992-NV-06-06
SS-QC-1992-NV-08-08
SS-QC-1992-NV-12-12
SS-QC-1992-NV-16-16



SS-QC-1991-NV

- (1) Plug
- (2) Male Pipe

SS-QC-1991-NV-04-04
SS-QC-1991-NV-06-06
SS-QC-1991-NV-08-08
SS-QC-1991-NV-12-12
SS-QC-1991-NV-16-16
SS-QC-1991-NV-20-20
SS-QC-1991-NV-24-24
SS-QC-1991-NV-32-32



SS-QC-1993-NV


- (1) Plug
- (2) Male BST

SS-QC-1993-NV-04-04
SS-QC-1993-NV-06-06
SS-QC-1993-NV-08-08
SS-QC-1993-NV-12-12
SS-QC-1993-NV-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-A STEEL

AQ	5601
FASTER	ANV
PARKER	6600
SAFEWAY	S56



S-QC-2000

- (1) Socket
- (2) Female Pipe


S-QC-2000-04-02
S-QC-2000-04-04
S-QC-2000-06-06
S-QC-2000-08-08
S-QC-2000-08-12
S-QC-2000-12-12
S-QC-2000-16-16
S-QC-2000-20-20
S-QC-2000-24-24
S-QC-2000-32-32



S-QC-2010

- (1) Socket
- (2) SAE O-Ring


S-QC-2010-04-04
S-QC-2010-06-06
S-QC-2010-08-08
S-QC-2010-08-10
S-QC-2010-08-12
S-QC-2010-12-12
S-QC-2010-16-16



S-QC-2001

- (1) Plug
- (2) Female Pipe

S-QC-2001-04-02
S-QC-2001-04-04
S-QC-2001-06-06
S-QC-2001-08-08
S-QC-2001-08-12
S-QC-2001-12-12
S-QC-2001-16-16
S-QC-2001-20-20
S-QC-2001-24-24
S-QC-2001-32-32



S-QC-2011


- (1) Plug
- (2) Female O-Ring

S-QC-2011-04-04
S-QC-2011-06-06
S-QC-2011-08-08
S-QC-2011-08-10
S-QC-2011-08-12
S-QC-2011-12-12
S-QC-2011-16-16

Styles may vary from picture

DOUBLE SHUT-OFF, INDUSTRIAL INTERCHANGE ISO-A STEEL


AQ	5601
FASTER	ANV
PARKER	6600
SAFEWAY	S56



S-QC-2020

- (1) Socket
- (2) Female BSPP

S-QC-2020-04-04
S-QC-2020-06-06
S-QC-2020-08-08
S-QC-2020-12-12
S-QC-2020-16-16



S-QC-2021

- (1) Plug
- (2) Female BSPP


S-QC-2021-04-04
S-QC-2021-06-06
S-QC-2021-08-08
S-QC-2021-12-12
S-QC-2021-16-16

Styles may vary from picture

AGRICULTURAL INTERCHANGE

Ball Valve STEEL


FASTER	NS
PARKER	4000
SNAP-TITE	21, 61



S-QC-2300

- (1) Socket
- (2) Female Pipe


S-QC-2300-04-04
S-QC-2300-06-06
S-QC-2300-08-08
S-QC-2300-08-12
S-QC-2300-12-12
S-QC-2300-16-16



S-QC-2301

- (1) Plug
- (2) Female Pipe


S-QC-2301-04-04
S-QC-2301-06-06
S-QC-2301-08-08
S-QC-2301-08-12
S-QC-2301-12-12
S-QC-2301-16-16



S-QC-2310

- (1) Socket
- (2) Female O-Ring


S-QC-2310-08-08
S-QC-2310-08-10



S-QC-2311

- (1) Plug
- (2) Female O-Ring


S-QC-2311-08-08
S-QC-2311-08-10



S-QC-3301 (JOHN DEERE)

- (1) Plug
- (2) Female Pipe

S-QC-3301-08-08



S-QC-3311 (JOHN DEERE)

- (1) Plug
- (2) Female O-Ring (Ball Valve)

S-QC-3311-08-08

Styles may vary from picture

AGRICULTURAL INTERCHANGE

Poppet Valve

STEEL


AQ	FD42
FASTER	NV
PARKER	4000



S-QC-2400

- (1) Socket
- (2) Female Pipe

S-QC-2400-04-04
S-QC-2400-06-06
S-QC-2400-08-08
S-QC-2400-08-12
S-QC-2400-12-12
S-QC-2400-16-16
S-QC-2400-20-20
S-QC-2400-24-24
S-QC-2400-32-32



S-QC-2401

- (1) Plug
- (2) Female Pipe


S-QC-2401-04-04
S-QC-2401-06-06
S-QC-2401-08-08
S-QC-2401-08-12
S-QC-2401-12-12
S-QC-2401-16-16
S-QC-2401-20-20
S-QC-2401-24-24
S-QC-2401-32-32



S-QC-2410

- (1) Socket
- (2) Female O-Ring

S-QC-2410-08-08
S-QC-2410-08-10
S-QC-2410-12-12



S-QC-2411

- (1) Plug
- (2) Female O-Ring

S-QC-2411-08-08
S-QC-2411-08-10
S-QC-2411-12-12



S-QC-2420


- (1) Socket
- (2) Female BSPP

S-QC-2420-04-04
S-QC-2420-06-06
S-QC-2420-08-08
S-QC-2420-12-12
S-QC-2420-16-16

Styles may vary from picture

AGRICULTURAL INTERCHANGE

Poppet Valve
STEEL



S-QC-2421

- (1) Plug
- (2) Female BSPP

S-QC-2421-04-04
S-QC-2421-06-06
S-QC-2421-08-08
S-QC-2421-12-12
S-QC-2421-16-16



S-QC-2700-PUSH PULL

- (1) Socket
- (2) Female Pipe

S-QC-2700-08-08-POP


Styles may vary from picture

AGRICULTURAL INTERCHANGE

- CONNECT UNDER PRESSURE -

STEEL


AQ 72
FAS 3 CPV



S-QC-2800

- (1) Socket
- (2) Female O-Ring


S-QC-2800-08-08



S-QC-3200 (PUSH PULL)

- (1) Socket
- (2) Female O-Ring


S-QC-3200-08-08



S-QC-2810

- (1) Socket
- (2) Female Pipe


S-QC-2810-08-08



S-QC-2901

- (1) Plug
- (2) Female Pipe

S-QC-2901-08-08-BAL
S-QC-2901-08-08-POP



S-QC-2911

- (1) Plug
- (2) Female O-Ring


S-QC-2911-08-08-BAL
S-QC-2911-08-08-POP

Styles may vary from picture

MOBILE, WING NUT INTERCHANGE

BRASS and STEEL


AQ	5100
FASTER	FB
PARKER	6100
SNAP-TITE	78



B-QC-2500

- (1) Socket
- (2) Female Pipe


B-QC-2500-08-08
B-QC-2500-12-08
B-QC-2500-12-12
B-QC-2500-16-16
B-QC-2500-20-20
B-QC-2500-24-24



B-QC-2504

- (1) Socket - No Wing Nut
- (2) Female Pipe


B-QC-2504-08-08
B-QC-2504-12-08
B-QC-2504-12-12
B-QC-2504-16-16
B-QC-2504-20-20
B-QC-2504-24-24



B-QC-2501

- (1) Plug
- (2) Female Pipe

B-QC-2501-08-08
B-QC-2501-12-08
B-QC-2501-12-12
B-QC-2501-16-16
B-QC-2501-20-20
B-QC-2501-24-24



S-QC-2503

Bulkhead Mounting Flanges


S-QC-2503-12
S-QC-2503-16
S-QC-2503-20
S-QC-2503-24

Styles may vary from picture

MOBILE, WING NUT INTERCHANGE

STAINLESS STEEL


AQ	5100
FASTER	FB
PARKER	6100
SNAP-TITE	78



SS-QC-2500-303

- (1) Socket
- (2) Female Pipe


SS-QC-2500-12-08-303
SS-QC-2500-12-12-303
SS-QC-2500-16-16-303
SS-QC-2500-20-20-303
SS-QC-2500-24-24-303



SS-QC-2504-303

- (1) Socket - No Wing Nut
- (2) Female Pipe

SS-QC-2504-12-12-303
SS-QC-2504-16-16-303
SS-QC-2504-20-20-303
SS-QC-2504-24-24-303



SS-QC-2501-303

- (1) Plug
- (2) Female Pipe

SS-QC-2501-12-08-303
SS-QC-2501-12-12-303
SS-QC-2501-16-16-303
SS-QC-2501-20-20-303
SS-QC-2501-24-24-303


Styles may vary from picture

SNAP- TITE 23 SERIES

INTERCHANGEABLE COUPLINGS

FULLY INTERCHANGEABLE WITH SNAP-TITE 23 SERIES COUPLINGS


STEEL



S-QC-ST23-2600

- (1) Socket
- (2) Female Pipe

S-QC-ST23-2600-06-06



S-QC-ST23-2601


- (1) Plug
- (2) Female Pipe

S-QC-ST23-2601-06-06

Styles may vary from picture

SNAP-TITE 71 SERIES INTERCHANGEABLE COUPLINGS


FULLY INTERCHANGEABLE WITH SNAP-TITE 71 SERIES GENERATION 3 COUPLINGS
STEEL



S-QC-ST71-2600

- (1) Socket
- (2) Female Pipe


S-QC-ST71-2600-12-12
S-QC-ST71-2600-16-16
S-QC-ST71-2600-16-20
S-QC-ST71-2600-32-24
S-QC-ST71-2600-32-32



S-QC-ST71-2611

- (1) Plug
- (2) Female O-ring


S-QC-ST71-2611-12-12
S-QC-ST71-2611-16-16
S-QC-ST71-2611-16-20
S-QC-ST71-2611-32-24
S-QC-ST71-2611-32-32



S-QC-ST71-2601

- (1) Plug
- (2) Female Pipe


S-QC-ST71-2601-12-12
S-QC-ST71-2601-16-16
S-QC-ST71-2601-16-20
S-QC-ST71-2601-32-24
S-QC-ST71-2601-32-32



S-QC-ST71-2620

- (1) Socket
- (2) Female BSPP


S-QC-ST71-2620-12-12
S-QC-ST71-2620-16-16
S-QC-ST71-2620-16-20
S-QC-ST71-2620-32-24
S-QC-ST71-2620-32-32



S-QC-ST71-2610

- (1) Socket
- (2) Female O-ring

S-QC-ST71-2610-12-12
S-QC-ST71-2610-16-16
S-QC-ST71-2610-16-20
S-QC-ST71-2610-32-24
S-QC-ST71-2610-32-32



S-QC-ST71-2621


- (1) Plug
- (2) Female BSPP

S-QC-ST71-2621-12-12
S-QC-ST71-2621-16-16
S-QC-ST71-2621-16-20
S-QC-ST71-2621-32-24
S-QC-ST71-2621-32-32

Styles may vary from picture

SNAP-TITE 71 SERIES INTERCHANGEABLE COUPLINGS


FULLY INTERCHANGEABLE WITH SNAP-TITE SERIES GENERATION 3 COUPLINGS
STAINLESS STEEL



SS-QC-ST71-2600

- (1) Socket
- (2) Female Pipe


SS-QC-ST71-2600-12-12
SS-QC-ST71-2600-16-16
SS-QC-ST71-2600-16-20



SS-QC-ST71-2611

- (1) Plug
- (2) Female O-Ring


SS-QC-ST71-2611-12-12
SS-QC-ST71-2611-16-16
SS-QC-ST71-2611-16-20



SS-QC-ST71-2601

- (1) Plug
- (2) Female Pipe

SS-QC-ST71-2601-12-12
SS-QC-ST71-2601-16-16
SS-QC-ST71-2601-16-20



SS-QC-ST71-2610

- (1) Socket
- (2) Female O-Ring

SS-QC-ST71-2610-12-12
SS-QC-ST71-2610-16-16
SS-QC-ST71-2610-16-20


Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

FLUSH FACE - NO SPILL

3/8 HTMA STEEL


AQ	FD49
PARKER	FF
SAFEWAY	FF490
SNAP-TITE	74



S-QC-2600

- (1) Socket
- (2) Female Pipe


S-QC-2600-04-04
S-QC-2600-06-06
S-QC-2600-06-08
S-QC-2600-08-08
S-QC-2600-08-12
S-QC-2600-12-12
S-QC-2600-16-16



S-QC-2610

- (1) Socket
- (2) Female O-Ring


S-QC-2610-04-06
S-QC-2610-06-06
S-QC-2610-06-08
S-QC-2610-06-12
S-QC-2610-08-08
S-QC-2610-08-10
S-QC-2610-08-12
S-QC-2610-12-12
S-QC-2610-16-16



S-QC-2601

- (1) Plug
- (2) Female Pipe

S-QC-2601-04-04
S-QC-2601-06-06
S-QC-2601-06-08
S-QC-2601-08-08
S-QC-2601-08-12
S-QC-2601-12-12
S-QC-2601-16-16



S-QC-2611

- (1) Plug
- (2) Female O-Ring

S-QC-2611-04-06
S-QC-2611-06-06
S-QC-2611-06-08
S-QC-2611-08-08
S-QC-2611-08-10
S-QC-2611-08-12
S-QC-2611-12-12
S-QC-2611-16-16

Styles may vary from picture


DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

FLUSH FACE - NO SPILL

3/8 HTMA

STEEL and STAINLESS STEEL


AQ	FD49
PARKER	FF
SAFEWAY	FF490
SNAP-TITE	74



S-QC-2620

- (1) Socket
- (2) Female BSPP


S-QC-2620-06-06
S-QC-2620-06-08
S-QC-2620-08-08
S-QC-2620-12-12
S-QC-2620-16-16



S-QC-2621

- (1) Plug
- (2) Female BSPP


S-QC-2621-06-06
S-QC-2621-06-08
S-QC-2621-08-08
S-QC-2621-12-12
S-QC-2621-16-16



SS-QC-2600 (316)

- (1) Socket
- (2) Female Pipe

SS-QC-2600-06-06
SS-QC-2600-06-08
SS-QC-2600-08-08
SS-QC-2600-08-12
SS-QC-2600-10-12
SS-QC-2600-12-12
SS-QC-2600-12-16
SS-QC-2600-16-16
SS-QC-2600-16-20



SS-QC-2601 (316)

- (1) Plug
- (2) Female Pipe

SS-QC-2601-06-06
SS-QC-2601-06-08
SS-QC-2601-08-08
SS-QC-2601-08-12
SS-QC-2601-10-12
SS-QC-2601-12-12
SS-QC-2601-12-16
SS-QC-2601-16-16
SS-QC-2601-16-20

Styles may vary from picture

DOUBLE SHUT-OFF, INTERCHANGEABLE COUPLINGS

FLUSH FACE - NO SPILL SCREW TOGETHER STEEL



S-QC-2650

- (1) Socket
- (2) Female Pipe


S-QC-2650-06-06

S-QC-2650-08-08

S-QC-2650-12-12

S-QC-2650-16-16

S-QC-2650-24-20



S-QC-2651

- (1) Plug
- (2) Female Pipe

S-QC-2651-06-06

S-QC-2651-08-08

S-QC-2651-12-12

S-QC-2651-16-16

S-QC-2651-24-20

Styles may vary from picture


DIAGNOSTIC QUICK CONNECTS

FOR GAUGES

SAE J1502

STEEL

AQ	FD90
PARKER	PD
FASTER	DF



S-QC-3000

- (1) Socket
- (2) Female Pipe

S-QC-3000-04-02
S-QC-3000-04-04



S-QC-3001

- (1) Plug
- (2) Female Pipe

S-QC-3001-04-02
S-QC-3001-04-04



S-QC-3010

- (1) Socket
- (2) Female O-Ring


S-QC-3010-04-04



S-QC-3040

- (1) Socket
- (2) Male Pipe


S-QC-3040-04-04



S-QC-3041

- (1) Plug
- (2) Male Pipe


S-QC-3041-04-02
S-QC-3041-04-04



S-QC-3051

- (1) Plug
- (2) Male O-Ring

S-QC-3051-04-03
S-QC-3051-04-04
S-QC-3051-04-05
S-QC-3051-04-06



S-QC-3061

- (1) Plug
- (2) Metric Male O-Ring

S-QC-3061-04-14x1.5

Styles may vary from picture

REFRIGERANT and FLUID TRANSFER

BRASS and STEEL

AQ 5400
FASTER RF



B-QC-3400

(1) (2) Female Connector

B-QC-3400-04
B-QC-3400-08
B-QC-3400-12



S-QC-3400

(1) (2) Female Connector

S-QC-3400-04-04
S-QC-3400-08-08
S-QC-3400-12-12
S-QC-3400-16-16



B-QC-3401

(1) Male Connector
(2) Female Connector


B-QC-3401-04
B-QC-3401-08
B-QC-3401-12



S-QC-3401

(1) Male Connector
(2) Female Connector

S-QC-3401-04-04
S-QC-3401-08-08
S-QC-3401-12-12
S-QC-3401-16-16



S-QC-3433

(1) Male Connector
(2) Male JIC

S-QC-3433-04-04
S-QC-3433-04-06
S-QC-3433-08-06
S-QC-3433-08-08
S-QC-3433-12-08
S-QC-3433-12-12
S-QC-3433-16-16


Styles may vary from picture

DOUBLE SHUT-OFF

SCREW TOGETHER

STEEL


HIGH PRESSURE



S-QC-3600

- (1) Socket
- (2) Female Pipe


S-QC-3600-04-04
S-QC-3600-06-06
S-QC-3600-08-08
S-QC-3600-12-12
S-QC-3600-16-16



S-QC-3700

- (1) Socket
- (2) Female Pipe


S-QC-3700-08-08
S-QC-3700-12-12
S-QC-3700-16-16
S-QC-3700-20-20
S-QC-3700-24-24
S-QC-3700-32-32



S-QC-3601

- (1) Plug
- (2) Female Pipe

S-QC-3601-04-04
S-QC-3601-06-06
S-QC-3601-08-08
S-QC-3601-12-12
S-QC-3601-16-16



S-QC-3701

- (1) Plug
- (2) Female Pipe


S-QC-3701-08-08
S-QC-3701-12-12
S-QC-3701-16-16
S-QC-3701-20-20
S-QC-3701-24-24
S-QC-3701-32-32

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

Non Valved
BRASS

PARKER PC200



B-QC-7000

- (1) Socket
- (2) Hose Barb


B-QC-7000-04-04
B-QC-7000-04-05
B-QC-7000-04-06
B-QC-7000-06-06
B-QC-7000-06-08
B-QC-7000-08-08
B-QC-7000-08-12



B-QC-7001

- (1) Socket
- (2) Push Loc


B-QC-7001-04-04
B-QC-7001-04-06
B-QC-7001-06-06
B-QC-7001-06-08
B-QC-7001-08-08
B-QC-7001-08-12



B-QC-7450

- (1) Socket
- (2) Hose Barb


B-QC-7450-04-04
B-QC-7450-04-05
B-QC-7450-04-06
B-QC-7450-06-06
B-QC-7450-06-08
B-QC-7450-08-08
B-QC-7450-08-12



B-QC-7451

- (1) Socket
- (2) Push Loc


B-QC-7451-04-04
B-QC-7451-04-06
B-QC-7451-06-06
B-QC-7451-06-08
B-QC-7451-08-08
B-QC-7451-08-12



B-QC-7900

- (1) Socket
- (2) Hose Barb

B-QC-7900-04-04
B-QC-7900-04-05
B-QC-7900-04-06
B-QC-7900-06-06
B-QC-7900-06-08
B-QC-7900-08-08
B-QC-7900-08-12



B-QC-7901

- (1) Socket
- (2) Push Loc


B-QC-7901-04-04
B-QC-7901-04-06
B-QC-7901-06-06
B-QC-7901-06-08
B-QC-7901-08-08
B-QC-7901-08-12

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

Valved
BRASS


PARKER PC200V



B-QC-7000-V

- (1) Socket
- (2) Hose Barb


B-QC-7000-V-04-04
B-QC-7000-V-04-05
B-QC-7000-V-04-06
B-QC-7000-V-06-06
B-QC-7000-V-06-08



B-QC-7001-V

- (1) Socket
- (2) Push Loc


B-QC-7001-V-04-04
B-QC-7001-V-04-06
B-QC-7001-V-06-06
B-QC-7001-V-06-08



B-QC-7450-V

- (1) Socket
- (2) Hose Barb


B-QC-7450-V-04-04
B-QC-7450-V-04-05
B-QC-7450-V-04-06
B-QC-7450-V-06-06
B-QC-7450-V-06-08



B-QC-7451-V

- (1) Socket
- (2) Push Loc


B-QC-7451-V-04-04
B-QC-7451-V-04-06
B-QC-7451-V-06-06
B-QC-7451-V-06-08



B-QC-7900-V

- (1) Socket
- (2) Hose Barb

B-QC-7900-V-04-04
B-QC-7900-V-04-05
B-QC-7900-V-04-06
B-QC-7900-V-06-06
B-QC-7900-V-06-08



B-QC-7901-V

- (1) Socket
- (2) Push Loc

B-QC-7901-V-04-04
B-QC-7901-V-04-06
B-QC-7901-V-06-06
B-QC-7901-V-06-08

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

PLUGS

BRASS and STEEL

PARKER BPN200F
 BPN300F




B-QC-7991

- (1) Plug
- (2) Female Pipe

B-QC-7991-04-02
B-QC-7991-04-04
B-QC-7991-04-06
B-QC-7991-06-04
B-QC-7991-06-06
B-QC-7991-06-08
B-QC-7991-08-08
B-QC-7991-08-12

PARKER PN250
 PN350
 PN500




B-QC-7992

- (1) Plug
- (2) Male Pipe

B-QC-7992-04-02
B-QC-7992-04-02X2.5
B-QC-7992-04-02X4.0
B-QC-7992-04-02X7.0
B-QC-7992-04-04
B-QC-7992-04-04X2.5
B-QC-7992-04-06
B-QC-7992-06-02
B-QC-7992-06-04
B-QC-7992-06-06
B-QC-7992-06-08
B-QC-7992-08-06
B-QC-7992-08-08
B-QC-7992-08-12

PARKER PN200F
 PN300F



S-QC-7991

- (1) Plug
- (2) Female Pipe


S-QC-7991-04-02
S-QC-7991-04-04
S-QC-7991-04-06
S-QC-7991-06-04
S-QC-7991-06-06
S-QC-7991-06-08
S-QC-7991-08-08
S-QC-7991-08-12

Styles may vary from picture

INDUSTRIAL, MOLD INTERCHANGE

BRASS

Parker P208



B-QC-7999

(1) Socket


(2) Female Pipe

B-QC-7999-04-02

B-QC-7999-06-04

B-QC-7999-08-08

Parker P201



B-QC-7999-V (VALVED)

(1) Socket

(2) Female Pipe

B-QC-7999-V-04-02

B-QC-7999-V-06-04

Styles may vary from picture

ISO-B

CAPS and PLUGS

BRASS, STEEL and RUBBER



B-QC-1700-P
Brass Plug

B-QC-1700-P-02
B-QC-1700-P-04
B-QC-1700-P-06
B-QC-1700-P-08
B-QC-1700-P-12
B-QC-1700-P-16



R-QC-1701-C
Rubber Cap

R-QC-1701-C-02
R-QC-1701-C-04
R-QC-1701-C-06
R-QC-1701-C-08
R-QC-1701-C-12
R-QC-1701-C-16
R-QC-1701-C-20



R-QC-1700-P
Rubber Plug

R-QC-1700-P-02
R-QC-1700-P-04
R-QC-1700-P-06
R-QC-1700-P-08
R-QC-1700-P-12
R-QC-1700-P-16
R-QC-1700-P-20



S-QC-1701-C
Steel Cap

S-QC-1701-C-04
S-QC-1701-C-06
S-QC-1701-C-08
S-QC-1701-C-12
S-QC-1701-C-16



B-QC-1701-C
Brass Cap

B-QC-1701-C-02
B-QC-1701-C-04
B-QC-1701-C-06
B-QC-1701-C-08
B-QC-1701-C-12
B-QC-1701-C-16

Styles may vary from picture

ISO-B

STEAM SERVICE

CAPS and PLUGS

ALUMINUM and RUBBER



AL-QC-1800-P
Aluminum Plug

AL-QC-1800-P-20
AL-QC-1800-P-24



R-QC-1800-P
Rubber Plug

R-QC-1800-P-02
R-QC-1800-P-04
R-QC-1800-P-06
R-QC-1800-P-08
R-QC-1800-P-12
R-QC-1800-P-16



AL-QC-1801-C
Aluminum Cap

AL-QC-1801-C-20
AL-QC-1801-C-24



R-QC-1801-C
Rubber Cap

R-QC-1801-C-02
R-QC-1801-C-04
R-QC-1801-C-06
R-QC-1801-C-08
R-QC-1801-C-12
R-QC-1801-C-16

Styles may vary from picture

FULL FLOW

CAPS and PLUGS

RUBBER



R-QC-1900-P

Rubber Plug

R-QC-1900-P-04


R-QC-1900-P-06

R-QC-1900-P-08

R-QC-1900-P-12

R-QC-1900-P-16

R-QC-1900-P-20



R-QC-1901-C

Rubber Cap

R-QC-1901-C-04

R-QC-1901-C-06

R-QC-1901-C-08

R-QC-1901-C-12

R-QC-1901-C-16

R-QC-1901-C-20

Styles may vary from picture

ISO-A

CAPS and PLUGS

RUBBER and STEEL



R-QC-2000-P

Rubber Plug

R-QC-2000-P-04

R-QC-2000-P-06

R-QC-2000-P-08

R-QC-2000-P-12

R-QC-2000-P-16



S-QC-2000-P

Steel Plug

S-QC-2000-P-04

S-QC-2000-P-06

S-QC-2000-P-08

S-QC-2000-P-12

S-QC-2000-P-16



R-QC-2001-C

Rubber Cap

R-QC-2001-C-04

R-QC-2001-C-06

R-QC-2001-C-08

R-QC-2001-C-12

R-QC-2001-C-16



S-QC-2001-C

Steel Cap

S-QC-2001-C-04

S-QC-2001-C-06

S-QC-2001-C-08

S-QC-2001-C-12

S-QC-2001-C-16

Styles may vary from picture

AGRICULTURE

CAPS and PLUGS

RUBBER

Agriculture - Ball



R-QC-2300-P

Rubber Plug

R-QC-2300-P-04
R-QC-2300-P-06
R-QC-2300-P-08
R-QC-2300-P-12
R-QC-2300-P-16

Agriculture - Poppet



R-QC-2301-C

Rubber Cap

R-QC-2301-C-04
R-QC-2301-C-06
R-QC-2301-C-08
R-QC-2301-C-12
R-QC-2301-C-16



R-QC-2400-P

Rubber Plug

R-QC-2400-P-04
R-QC-2400-P-06
R-QC-2400-P-08
R-QC-2400-P-12
R-QC-2400-P-16



R-QC-2401-C

Rubber Cap

R-QC-2401-C-04
R-QC-2401-C-06
R-QC-2401-C-08
R-QC-2401-C-12
R-QC-2401-C-16



R-QC-2700-P

Rubber Plug

R-QC-2700-P-08

Styles may vary from picture

WING NUT

CAPS and PLUGS

BRASS



B-QC-2500-P

Brass Plug

B-QC-2500-P-08

B-QC-2500-P-12

B-QC-2500-P-16

B-QC-2500-P-20

B-QC-2500-P-24



B-QC-2501-C

Brass Cap

B-QC-2501-C-08

B-QC-2501-C-12

B-QC-2501-C-16

B-QC-2501-C-20

B-QC-2501-C-24

Styles may vary from picture

FLUSH FACE - NO SPILL

CAPS and PLUGS

RUBBER



R-QC-2600-P

Rubber Plug

R-QC-2600-P-06

R-QC-2600-P-08

R-QC-2600-P-10

R-QC-2600-P-12

R-QC-2600-P-16



R-QC-2601-C

Rubber Cap

R-QC-2601-C-06

R-QC-2601-C-08

R-QC-2601-C-10

R-QC-2601-C-12

R-QC-2601-C-16

Styles may vary from picture

AGRICULTURE

CONNECT UNDER PRESSURE

CAPS and PLUGS
RUBBER



R-QC-2800-P

Rubber Plug

R-QC-2800-P-08



R-QC-2901-C

Rubber Cap

R-QC-2901-C-08



R-QC-2911-C

Rubber Cap

R-QC-2911-C-08

Styles may vary from picture

DIAGNOSTIC / REFRIGERANT FLUID TRANSFER

CAPS and PLUGS
RUBBER and STEEL



R-QC-3001-C

Rubber Cap

R-QC-3001-C-04



S-QC-3400-P

Steel Plug

S-QC-3400-P-04

S-QC-3400-P-08

S-QC-3400-P-12



S-QC-3401-C

Steel Cap

S-QC-3401-C-04

S-QC-3401-C-08

S-QC-3401-C-12

Styles may vary from picture

SCREW TOGETHER

CAPS and PLUGS

STEEL



S-QC-3600-P

Steel Plug

S-QC-3600-P-04
S-QC-3600-P-06
S-QC-3600-P-08
S-QC-3600-P-12
S-QC-3600-P-16
S-QC-3600-P-20
S-QC-3600-P-24
S-QC-3600-P-32



S-QC-3700-P

Steel Plug

S-QC-3700-P-08
S-QC-3700-P-12
S-QC-3700-P-16
S-QC-3700-P-20
S-QC-3700-P-24
S-QC-3700-P-32



S-QC-3601-C

Steel Cap

S-QC-3601-C-04
S-QC-3601-C-06
S-QC-3601-C-08
S-QC-3601-C-12
S-QC-3601-C-16
S-QC-3601-C-20
S-QC-3601-C-24
S-QC-3601-C-32



S-QC-3701-C

Steel Cap

S-QC-3701-C-08
S-QC-3701-C-12
S-QC-3701-C-16
S-QC-3701-C-20
S-QC-3701-C-24
S-QC-3701-C-32

Styles may vary from picture

DUST CAP

PUSH PULL COUPLINGS

STEEL



S-QC-5001-C

Self Closing Dust Cap for Push Pull Couplings

S-QC-5001-C-06

S-QC-5001-C-08



1-800-348-8467

www.myfui.com